



File Name: 8kha+ manual.pdf

Size: 3333 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 25 May 2019, 22:11 PM

Rating: 4.6/5 from 676 votes.

Status: AVAILABLE

Last checked: 18 Minutes ago!

In order to read or download 8kha+ manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with 8kha+ manual . To get started finding 8kha+ manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

8kha+ manual

DRAM Size 64MB to 1.5GB Dual full duplex Direct Sound channels. FM synthesis for legacy compatibility. Supports game and MIDI port Supports exclusive KBPOKeyBoard Power On. Supports CPU Vcore setting via BIOS. Supports Memory Voltage setting via BIOS. Supports CPU Clock setting via BIOS. Supports STR Suspend To RAM power saving Function. Supports CPU Multiplier setting via BIOS. Supports WakeOnLAN Function. P80P Debug Card onboard design with LED display. Login to post J210 User Manual User Guide Instructions Book Operating Manual Service manual Workshop. ManualsLib Makes it easy to find manuals online Ford Workshop Manuals . Fiat Workshop Manuals I know its a big claim, and believe me I hesitated writing this page on my website. See, for a long time I was pushing online. Each repair manual contains the detailed description of works and all necessary repair. Free Ford Repair Manuals . Free Peugeot Repair Manuals All manuals are downloadable here includes Maybe one of them will help. Their website is unresponsive. I had written an involved response to your question and lost it due to laptop keyboard interface issues with my thumbs. Under normal circumstances I would recommend a bios update for your problem but for non technical people that can be a serious and potentially dangerous avenue to success. The fact that you are dualbooting magnifies the potential that problem is possibly not bios related but instead an issue with the two different operating systems on the same motherboard. Which itself might be successfully resolved by a good bios update assuming the manufacturer has written a bios update with that intention. Often bios updates fix issues never mentioned by the manufacturer and are hit or miss with issues they are supposed to fix. I will say this, Epox has been and Im sure still is one of the best motherboard manufacturers anywhere in the world and I would be proud to be able to claim one in any system of mine. <http://eclearusa.com/images/can-you-turn-an-automatic-into-a-manual.xml>

- **epox 8kg manual, 8kha manual, epox 8kha manual.**

The motherboard you mention is very old and you NEED to VERIFY that you have the exact motherboard for the bios update you intend to use. Please make sure you are dealing with the correct motherboard and bios before attempting anything. Answer questions, earn points and help others. The BIOS is not officially With these The memory could be compensated Although it was still far from the 200MHz mark, its But just like the We now have no problem installing Windows 2000 With these two features EPoX would be Fortunately, EPoX seems to listen to all If the board can maintain high TSMC to Stay with FinFET for 3nm Looks like him. Is that Lex next to him The Verge WordPress claims Apple cut off updates to its completely free app because it wants 30 percent. XeHP is just GPU tiles and their HBM dies. Sign up now. We delete comments that violate our policy, which we encourage you to read. Discussion threads can be closed at any time at our discretion. I just cant seem to find the mobo manual anywhere. The mobo is Epox EP8KDA3J. PDF does not even exist on rapidshare anymore. EPOX EP8RDA3I EP8RDA3 instrukcja obsługi ENGLISH Producent EPOX Model EP8RDA3I EP8RDA3 Język ENGLISH. Icons placed on the left of file name will prompt you in which format and in what language user guide download EPoX EP8KDA3I Motherboard are represented. V manualu, ktery jsem si stahl v PDF je uvedena na dvou mistech, na www. EP8KDA3 Drivers Download. Download the latest. EPoX EP8KDA3I ATX AMD Motherboard image 1; EPoX EP8KDA3I ATX AMD. Epox EP8KDA3I BIOS 05.10.04 BIOS driver download from brothersoft drivers. File link. Ep8kda3i User Manual Download EPoX EP8KDA3I Drivers for Windows 7 64 bit version. Mainboard Model Download Release Notes. View online or download Epox MU8KHA User Manual Manual for EP8KHA. Manual for Epox Computer, Laptops and Printer Guide, Service manual

and. Ep8kda3i User Manual Download EPoX EP8KDA3I Drivers for Windows 7 64 bit.. User Manual and Guides. <http://sgd42.ru/userfiles/can-you-turn-a-manual-transmission-into-an-automatic.xml>

Choose your EPoX Computer manufacturer model to download users owner manual. Reload to refresh your session. Reload to refresh your session. Ask a question and give support. Join the community here, it only takes a minute. For a better experience, please enable JavaScript in your browser before proceeding. It may not display this or other websites correctly. You should upgrade or use an alternative browser. Ive tried Motherboard monitor but that doesnt show it. Ive tried Motherboard monitor but that doesnt show it. It should work flawlessly. Unless ur winbond chip is spoiled which is highly and unlikely! cheers! Ive tried Motherboard monitor but that doesnt show it. Its quite odd at first, but once you get it running, its an excellent tool. Terms of Use Privacy Policy Advertise. Some items may have scuff marks or slight scratches but should otherwise be an operable product. Supporting all current Socket A CPUs from the original Duron and Athlon processors to the just released Athlon MP and Athlon XP processors. Providing upto 1.85v core voltage and easily accomodating the larger than life Alpha PAL8045 heatsink, coupled with the extreme quality of this board makes it an easy choice for the overclocker, with a simple voltmod for the extreme overclocker not afraid of a soldering iron. We guarantee this product works and whilst most are complete some may be offered without cables, manual or driver disk if applicable. There may be some evidence of previous use, mainly due to testing. Orders will be shipped on a first come first served basis. If an ETA is available it will be displayed on hover. As you change the options, the stock status will automatically update depending on your selection. Go D value as well. M.2 SSD works a charm, nice haribo as well OcUK LTD trading as Overclockers UK is a credit broker and is Authorised and Regulated by the Financial Conduct Authority. Financial Services Register no. 704348.

The register can be accessed through Please order online and use our click and collect service. View on google maps. For a better experience, please enable JavaScript in your browser before proceeding. It may not display this or other websites correctly. You should upgrade or use an alternative browser. Also is this board decent. It is cheaper than the asus and the dragon plus but does almost as well on the bench. It all depends on you and what you use your computer for. I have never done any Video editing so I dont need more than the 512mb2 sicks of OCZ PC2400 DDR 256mb, that I have. Good Luck Peace Out. tile WHAT I CANT HEAR YOU OVER THE ROAR OF MY CASE FANS. We are working every day to make sure our community is one of the best. With the latest Intel is getting dings in its armor each and every day. Although not the only combination of Chipsets and. Processors in town, the teaming of both AMD and VIA has Yielding ever Our question today is. are all KT266A motherboards Shuttle AK31 Ver.3.1 A processors Award PnP BIOS. Flash upgradeable. 120MB ATAPI floppy drive and ZIP support. Standard ATX form factor. 305mm x 245mm ATX. UltraDMA100 EIDE Controllers. Up to 4 IDE devices. AGP supports 1x, 2x and 4x modes. ATA100 IDE cable and 1 USB D bracket. First off, we have very little to report since both of SP2, updated to the latest drivers for each component Before we get to BIOS Comparison The contents. All products and trademarks are the property of their respective owners. Reproduction in whole or in part, in any form or medium, without express written permission of HotHardware.com, LLC. is prohibited. Inc. All rights reserved. Privacy and Terms. Please keep this in mind while reading. You can see the most recently updated guides on the browse guides page Build Guide by Catastrophies If so please give them a vote or leave a comment. Please login or register.

<http://www.bouwdata.net/evenement/3m-filtrete-ultra-slim-air-purifier-fap04-rc-manual>

First of, I like to build Skirmishers Sabre Warrior for the extra burn damage from the challenging smite that will essentially deal 60162 true damage on top of Khas auto attacks. His Q, Taste Their Fear also does tons of damage which will instantly nuke an enemy with challenging smite. Secondly, I would build Duskblade of Draktharr and Youmuus Ghostblade for lethality and cooldown reduction.

Both of these items together are necessary for KhaZix's build as an assassin jungler. After building both the core items, I like to keep it safe and go for Guardian Angel just in case the enemy team aims for me in teamfights. Then another safe item is to build Maw of Malmortius against enemy magic damage carries. Of course, I would like to run with Boots of Mobility for an additional 25 movement speed on top of 115 movement speed when out of combat. Gank faster from each lane and snowball your lanes. JUMP! JUMP! JUMP! JUMP! JUMP! Check out my best KhaZix gameplay. Please consider supporting us by whitelisting us in your ad blocker! Award PnP BIOS. Flash upgradeable. 120MB ATAPI floppy drive and ZIP support. AGP supports 1x, 2x and 4x modes. In addition to the AGP interface for high performance graphics, this board offers six industry standard PCI, one 4x compatible AGP expansion buses as well as many other advanced system and BIOS features. For full feature system designs, the Apollo KT266 is paired with the VIA VT8233 super south bridge. EPoX nos presenta su EP8KHA basada el este chipset con algunos de los extras que nos tiene acostumbrados el fabricante y dado que son pocas las placas basadas el KT266 resulta muy interesante probarla para ver el resultado del trabajo tanto de VIA como de EPoX. O que es lo que si tiene. O que es lo que si tiene. In rhoncus lacinia enim, vel mattis nunc rutrum at. Fusce quis vulputate massa. Suspendisse ac blandit libero. Pellentesque commodo quis elit quis iaculis. Maecenas ut rhoncus mi. Proin ut neque sed massa pellentesque congue mollis a est.

<http://cocoonproperty.com/images/braun-kmm-20-manual.pdf>

Acceder al Foro. True bright spots were the candidates sent in by Abit, Soltek and Soyo. The reason is simple its an ideal CPU for overclocking Athlon XP processors. And thats not all you can also change the voltage settings for both your RAM and the CPU core. The only caveat is that the maximum core voltage is set to 1.85 volts at the factory, making it necessary to modify the board itself if you want to set the voltage any higher. If you credit the reports of some users, this board makes insane clock speeds beyond the 2000 MHz sound barrier possible. Unfortunately though, according to all the field tests we performed at our THG lab in Munich, these claims turned out to be a load of bunk. We found it very useful that the Epox has an integrated Port 80 card that gives error messages as early as during booting by using two 7segment displays. The six PCI slots and the clip for the AGP slot were real plusses. The board is the leader of the pack in performance, and takes the gold in several benchmarks. The outcome By and large, the VIA KT266A chipset knocks the stuffing out of the Nvidia nForce 420D. True bright spots were the candidates sent in by Abit, Soltek and Soyo. Please email us if youre running the latest version of your browser and you still see this message. The actual Open Box product may differ in packaging and included accessories, but has been tested to ensure basic functionality. Great product from Epox, great service from Newegg. I just wonder where the name newegg came from. I hadnt had any problems with it yet and i dont think i will. All i can say is Epox built a great board and would buy another Epox board too. Newegg was great in shipping and packing as it came eariler than i expected. I was kind of dissapionted, It was just a bit too easy. Ive had mine for almost a year and its been faultless. Ive upgraded to a Via 333 based board since then and I can tell you theres no speed difference at all.

<https://codicicolori.com/images/braun-kmm30-manual.pdf>

The stability is horrible though on a Gigabyte 7VRXP, steer clear of that pos. With support for up to six USB ports, a fan on the board itself, and a builtin debug card, this is the ultimate in userfriendly motherboards. Id recommend this to anyone and everyone. Not only is it easy to use, but its extremely affordable. Click here for more details. Secure shopping made faster. Check out with PayPal. Any exceptions to the condition of the item outside the manufacturer's information should be provided in the listing, up to and including warranty details. Any accessories MAY OR MAY NOT be included. Newegg will NOT send you any missing accessories, even if it is required to use all of the item's functions. Open Box items usually do not come with manufacturer or vendor warranty or technical support. However, warranty support may be available if an item was never registered by a

previous owner. Please contact the manufacturer to check. Product may include warranty, and accessories found with the original product. Product may or may not be in the original packaging. Returned items with minor packaging defects fall under this category. Product does not come with warranty unless stated otherwise in product description. Product does not come with warranty unless stated otherwise in product description. Product does not come with warranty unless stated otherwise in product description. Functionality issues beyond signs of use should be disclosed in product description. Some manufacturers place restrictions on how details of their products may be communicated. Some manufacturers place restrictions on how details of their products may be communicated. Some manufacturers place restrictions on how details of their products may be communicated. Some manufacturers place restrictions on how details of their products may be communicated. The page you're trying to reach is not here or has been removed. Try searching for it by using the search box above or below.

Our homepage displays our latest content. Or, if you think it's a website bug, contact us, and we'll fix it ASAP. Check out one of our latest articles. All Rights Reserved. Core Photo This is the first production board. This board differs from its predecessor. Logic.A folding short manual is written in 6 languages. Besides, there is a CD with drivers and a modest set of freeware programs. On the other hand, there is a clamp on the AGP connector and an AAVID. Besides, there are two standard. The codes displayed on the feed circuits have 12 Low ESR capacitors. All other settings can be made from FSB frequency can be changed from 100 to 200 MHz in 1 MHz steps. The core ASUS Update, CyberLink programs PowerPlayer SE, PowerDVD Trial Version. VideoLive Mail, ASUS Hotkey, Intel LDCM LANDesk Client Manager, PCCillin. The IDE connectors. The engineers. Dipswitches. They can also be. There are switches with traditional functions. Besides, you can find here. However, this time the Athlon XP. Unfortunately, we failed to check. As you can see, the Athlon XP. MHz. The AMD CPU systems need a higher speed of the processor memory. At present, a 0.18 micron Willamette coupled. But now even. Intel doesn't stake on this combination. No registration needed! Sandy Bridge Trying out the new method. Then you must use this Carbonite offer code. It may not display this or other websites correctly. You should upgrade or use an alternative browser. I have both boards running the latest drivers and BIOSs they can support, and I'm wondering just what is the ceiling of CPU I can put in them. I have two PCs; running one of each board. If anyone can tell me what the fastest CPU I can put in these Mainboards is I would appreciate it. Thank you, Ben. Click to expand. Thanks again! Ben. Any idea on how I should go about diagnosing this problem. But now it just hangs. Also can you give the procedure for clearing the CMOS using the jumper power cycle or just leave on for a predetermined time or unplug. Thanks for your help, David R.

Martinez. Any idea on how I should go about diagnosing this problem. Click to expand. Before doing a Clear write down all your BIOS settings since you have to reenter it manually after the clear. After that, you can post your question and our members will help you out. Welcome to Motherboard Point a friendly motherboard forum full of tech experts. You'll be able to ask questions about your motherboard or chat with the community and help others. Looking for a replacement. There is no error code listed in the manual referring to 00, so I was wondering what this might mean. Thanks. Start Free Trial Start Free Trial What BIOS does it have installed. So you should only really need the CPU, Memory, video card and motherboard of course. And as evirds says it is displaying 00. Not something that is displayed on the monitor etc. Contact your BIOS maker for a full list of the post codes and beep codes. Covered by US Patent. Covered by US Patent. The site may not work properly if you don't update your browser. If you do not update your browser, we suggest you visit old reddit. Press J to jump to the feed. Press question mark to learn the rest of the keyboard shortcuts Log in sign up User account menu 7 Season 8 KhaZix Guide Learn KhaZix Basics League of Legends. There's a whole Rather than trawl This setting will reduce This item allows you If the CPU ratio is fixed. This The default is No. The default is Disabled Disabled Normal Setting. Enabled The default is Auto. Manual PNP Cards resources will be controlled manually. Auto If your ISA card

and PCI card are all PNP cards, The choice Enabled, Disabled. Can release The default is Enabled. Disabled Release When a selection Note If you select the higher performance, compatibility Current DRAM Frequency DRAM frequency information. By SPD SDRAM clock by SPD data. The Choice Manual, SPD. The Choice 2T, 3T. The Choice 5T, 6T. The Choice 2T, 3T. The Choice Auto, Manual. The Choice 1T Command, 2T Command. The Choice Enabled, Disabled.

The multipliers. With the exception of a couple of very old Dell system, the later models aren't compatible with an Intel BIOS and yours is one of them. Although the motherboard will accept an Intel BIOS flash, you will find either you now have created a very large paper weight or the Intel BIOS won't totally support the features of the motherboard. An once the BIOS is flashed to the Intel version, reverting back to the Dell BIOS is a very difficult if not impossible task. That would be a better venue in which to receive an answer to that question. You can click here for a direct link to the Linux forum. Select Your Operating System, download zipped files, and then proceed to manually install them. Recommended if Epox Ep 8kha is the only driver on your PC you wish to update. Password Don't have a password. Please register, and get one. Close HW Leaderboard PCPer Live Some color changes and flaws may appear. The AMD 760 chipset has a strong showing, leaving the KT266 chipset 23% behind in speed. I forgot to run this test on the setup! The KT266 falls just behind the AMD 760 chipset, as the video card is becoming more of a factor in the results. I was very surprised to see the 8KHA pull ahead of the 8K7A in both 16 and 32bit. Learn how your comment data is processed. Password Arcade FAQ Community Calendar Today's Posts Search EPoX Motherboards EPoX Intel and AMD Motherboards. I am getting post code C1 or CF I've lost my manual I've just got the board back from my reseller who hot swapped the BIOS chip after a flash failure. C1 post is memory problems. I am getting post code C1 or CF I've lost my manual I've just got the board back from my reseller who hot swapped the BIOS chip after a flash failure. Has the mainboard been verified as working prior to this incident with this BIOS implementation This is the first time I've used \ reassembled since getting it back. Board out of case, reseating memory modules in different slots etc without much success.

Should they be getting me a new BIOS chip or is there more I can try. Many thanks Board out of case, reseating memory modules in different slots etc without much success. Many thanks It seems that whatever has happened, your board no longer works as a result. Please consult with your reseller. The term hot swapped does seem pretty odd. It could mean booting one BIOS, extracting, inserting another chip and flashing a new BIOS to that chip to create a duplicate. This practice is however inadvisable. I think that the quicker you contact the reseller, the quicker your problem will be resolved. Add Thread to del.icio.us Bookmark in Technorati Furl this Thread. Search Engine Friendly URLs by vBSEO 3.3.0. Vedle sebe stojí čtyři jezdci, každý z jiné stáje. V první linii stojí nabýskaný šampion s napsím ABIT, vedle něj neohrožený cizinec ze stáje EPoX. Za nimi v závesu se krcí v nepřilís umytem voze schopný jezdec ze stáje Shuttle a prepýchová závodnická vedle něse jméno stáje AOpen. Závod dalsich desek Socket A začal. Kdo ho vyhraje Dozvíte se v článku. Narůst výkonu je zhruba kolem 10 % v aplikacích náročných na paměť hry, strih videa atp.. To je také důvod, proč jsme se na další varku KTecek 266A podívali trochu jinak rozhodli jsme se, že uděláme prostě recenzi čtyř desek najednou. Každá z nich je totiž něcím zajímavá, a tím i pro uživatele přitazlivá. To platí i zde. Lide vsak sazejí většinou na toho, u koho tuší, že ten závod vyhraje. Opravdu si neodpustím srovnání ABITu a slavného závodníka Michaela Schumachera. Ve většine srovnání závodu se již dopředu hodně sazí na to, že tento šampion má velkou nádeji na úspěch. Má určité charakteristické prvky ladické možnosti, výkon, hnedě zbarvený plošný spoj PCB, velký počet PCI a paměťových slotů, slušný layout. BIOS nemá, ale pouze se procistuje CCMOS paměť na Clear CCMOS, která uchovává uživatelem zadaná nastavení. Tento výraz bezně používám, i když vim, že není správný.

Doufám, že většina čtenářů tento výraz pochopila. Jedna se o poměrně exotickou značku, kterou k

nam pred nedavnem zacala dovazet firma ABI. U nas maloktery uzivatel si pri vysloveni teto znacky nieco predstavi, avsak v zahranici je znacka EPoX casto az opevovana. Zejmena co se tyce moznosti BIOSu a diagnostiky, v tomto ohledu dokonca prekonava i samotny ABIT. Mnohy zahranicni skalni overclockar pouziva desky prave teto znacky na nami testovane desce se zahranicnim ladicum povedlo dosahnout FSB 221 MHz 442 MHz DDR. Slabinou EPoXu je horsi layout desek, avsak jinymi kvalitami je tento nedostatok vyvazovan. V Ceske republice je znama jiz po pomerne dlouho dobu, avsak dosud si vyslouzila povest spise outsidersa. V poslednich mesich se vsak kvalita jejich vyrobku rapidne zvysoje jako uzivatel poslednich vyrobku teto firmy urcite budete spokojen. V mnoha ohledech jsou desky teto firmy podobne ABITu, avsak uplne za jinou cenu rozdil je zhruba 2000 Kc. Desky teto firmy se charakterizuji opravdu vytecnyim balenim a dokumentaci avsak detailni popis BIOSu zde nenajdete, take design, layout i spolehlivost je na vysoke urovni. Nyni jiz staci, aby na semaforech zasvitila zelena a muzeme vyrazit. Recenze UFC 4 Interior noveho Mercedesu tridy S zcela odhalen. Vyhrivani dostanou i polstarky FOTO Polonahe fanyanky na fotbalovych tribunach. Tesme se na mistrovstvi Evropy! 40 zenskych sex symbolu 21. Prohlednete si vitezne fotografie. Red Dead Redemption 2 pod utokem hackeru, mlati hrace pomoci kostlivcu Utajena murena Novy druh objevila studentka Ikonicka nabytkarska znacka zpristupnila sve katalogy za 70 let Auto.cz Jak udelat z ojeteho vozu SEAT chytre auto. Na to se hrat nebude Ve Sparte skončili, jinde je nechteji. Tvrdy stret s realitou Poznate, ze vam v tele chybi horcik. Kartarka Helen Stanku vyklada karty. Create one here. Creators are allowed to post content they produce to the platform, so long as they comply with our policies. United Kingdom. Company number 10637289.

You should upgrade or use an alternative browser. Im thinking about the mobile core because hopefully the lower voltage requirement wont give me the troubles I have read about. Im getting the sneaking suspicion that they arent but best check for yourself first. Thanks for the info. Yea I also browsed the Epox site and got the recommended chip PDF for the board. It does show the XP2600 but makes no mention of the mobile barton core with the 266MHz fsb. Just shows the bartons with the 333 mHz fsb and of course im out of luck with those. You should upgrade or use an alternative browser. I also bought a Leadtek Geforce3 Titanium 500. Other hardware are Adaptec 2940 UW, Creative Live!, 3Com Nic, Scsi UW Harddisks, ATA100 Harddrive, PS2 intellimouse and Wacom Intuos USB. I have been searching the web and I am kinda confused with trying to absorb so much new infomation. Therefore I may need some quickstart advice if you gurus dont mind helping out. The main thing is how to configure the correct settings for my hardware combination. Example Default setting for the CPU host clock is 100Mhz. Should I change to 133Mhz. What does this setting do. What has this to do with 266Mhz on my Athlon. Or is this the bus speed. Is there any other setting that by default is not right for my system specs. I was initially using an Oxygen VX1 on my old system, but with the new set, I could first boot up and after detecting new hardware, installed the driver, but on rebooting it hang before reaching the login screen. After trying for a long time, I just gave myself an excuse to buy the Titanium 500. It of course worked with no problems. Damn the bootup is so fast that I cant even see what is printed on screen. Not complaining of course, but would be nice if I could pause to view them. On the Crucial RAM, it says CL2.5, I thought I saw somewhere on the web they are CL2. Err. btw, lower is better right.

Well maybe I am an apeman that just got out from the jungle, but I got to start somewhere Thanks for your time. Right now I got to sort out my 3D card, it hung and rebooted by itself running 3DMark2001 Running 3DMark2001.exe without changing anything, I got 6535. Whats wrong with this, I am fine without overclocking, just wondering why I cant. I have not yet tried the 22.50 However before running all these test, I installed the WinFox utility software which came in the box and ran some utilities. I am unable to find the option to view the temperature, worse of all, when I ran the Memory Resource Scan, I got vertical bands on the whole screen and the computer hung. I rebooted and discovered I couldnt play AVI or Quicktime, they had the same vert bands and hung. I uninstalled the utility and everything was fine. Do you think I damaged anything. Should I reinstall

the whole computer again. That was the WinFox Utility Version1 from the box. I downloaded version2 beta and it ran fine, but I still cant check the temperature. Is there a generic utility for the Geforce3 Ti 500 to check the temperature. Sorry about the long post. Whatre the cpu temps and the case tempsI got the temperature from bootup screen, so it is probably the temperature at idle. I read from the web that I should just spread enough grease to just barely cover the cpu. Is it enough, I keep wondering if I should just put more. Is my cpu temperature ok. My room temperature is probably 2528C, just guessing. I just found out from Leadtek website that the WinFox utility is suppose to show the graphic cards temp, but the icon is greyed out, so something is messed up in my system. Though I just installed win2ksp2 like last Friday, I had installed drivers for my Matrox G400 and my Oxygen VX1 and I cant uninstall the VX1 drivers so something is wrong. So I am going to reformat and reinstall everything and hopefully it solves the problem. Thanks for your time. Trust me on this.

As for the Winfox stuff, I dunno if I woulda even installed any of that crap. lol. Try instead, just installing like the 22.50s or somethin like that, and just bypass the whole Winfox cd altogether. Maybe thatll help. The disk management reports the disk as foreign. The harddisk was running fine in my old BX board using the older ATA33. When I changed to the Epox board, it reported the disk had a bad block in the event viewer, but I ignored it. Now after reinstalling win2k, it is gone. I actually use Ghost to restore the boot drive which is scsi. Does this do any harm to the data in the ATA harddisk. Is there any issue that the harddisk was formatted under the old board having ATA33 and now using ATA100 with the new ATA100 cable in the new board. Is there any working difference between basic and dynamic volume. Any help would be appreciated as I do not want to lose close to 40Gb worth of stuff. After reinstall win2k, I tried to use the Memory Resource Scan in Winfox and I got vertical bands on the whole screen again. I still cant view the card temperture option. I am worried the heatsink is not installed properly on my Ti500 and I dont dare to dismantle it as I might void the warranty.

<https://www.interactivelearnings.com/forum/selenium-using-c/topic/13584/3m-filtrete-ultra-slim-air-purifier-fap04-rc-manual>