



**File Name:** casio digital diary sf-9350 manual.pdf

**Size:** 1486 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 30 May 2019, 13:40 PM

**Rating:** 4.6/5 from 749 votes.

**Status:** AVAILABLE

Last checked: 10 Minutes ago!

**In order to read or download casio digital diary sf-9350 manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with casio digital diary sf-9350 manual . To get started finding casio digital diary sf-9350 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# casio digital diary sf-9350 manual

Manual and User Guide for many equipments like mobile phones, photo cameras, motherboard, monitors, software, tv, dvd, and others. Login to post CASIO SF 4000 Operation Manual Most Casio Digital Diary models have a small 2.5mm serial port built into the side of the unit. It can be used to communicate between two Casio Digital Diary units, or with another serial device such as a PC or a serial printer on some older models. To connect between two compatible Digital Diary units, you need only a 3lead crossover cable with a 2.5mm plug on each end, such as Casios SB60 or SB62 cable. You can buy these cables from a Casio accessory supplier such as Windows Link. To connect to a standard 9 or 25pin RS232 PC serial port, you need a special Casiospecific adapter cable more information below. The Casio diary uses its own unique communications protocol, and requires a Casio diary backup program on the PC. For more information on software and kits see What communications packages are available for the Casio digital diary I can not found neither SB 87 nor. You can also try the Casio support web sites for other countries, as they sometimes keep manuals around that Casio Japan has deleted. You may have to look around the site a little, as sometimes the technical support pages are not linked to the public pages. For example see substituting some other model numbers like SF4600B also works with this site. IMSL Software has created downloadable generic user manual for all Casio diary models. This brief manual attempts to cover all models and major features in one document, so it doesnt go into a lot of stepbystep detail, but it does cover all the basics for all common models. The manual is a Word document in Zipcompressed format, so you must have an unzip utility like WinZip installed to open it. To order a new original manual from Casio in the USA or Canada for any Digital Diary model, try the contact numbers listed immediately above under Casio

Contacts. <http://colegiosantarosa.com/uploads/imagen/burnham-sfb-101-manual.xml>

- **casio digital diary sf-9350 manual, casio digital diary sf-9350 manual, casio digital diary sf-9350 manual pdf, casio digital diary sf-9350 manual download, casio digital diary sf-9350 manual free, casio digital diary sf-9350 manual online.**

the web site structure changes too frequently to link directly to individual pages select Support for technical support, or select Casio World to find the rep nearest to you Casio actively removes information on any products that they are not currently shipping, so dont expect to find much support for Digital Diaries on their web site. You might find more on some of the International sites like Casio UK. Casio USA Technical Support 8009622746 or 8006612274 Casio USA Customer Service 570 Mt. The till will not operate while this is showing HP Solutions Center will close now. Answer questions, earn points and help others. DOWNLOAD as many books as you like NO Charge, Personal use. CANCEL the membership at ANY TIME if not satisfied. Join Over 99.999 Happy Readers. Casio sf 4000 operation manual 64 pages digital diary brand casio category organizer size 214 mb. You can search for product manuals you can search using either or both of the following please enter the product name or part and click search. Innovative products bring joy create new lifestyle and pave the way for related economies especially if they have been developed by casio experience how creativity becomes contribution. A pdf reader is required to view pdf files if you dont have one click on the banner to download one. Please check your inbox, and if you can't find it, check your spam folder to make sure it didnt end up there. Please also check your spam folder. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to

radio communications. However, there is no guarantee that interference will not occur in a particular installation. <http://www.pharma-tools.eu/galeria/file/burnit-pelleburn-manual.xml>

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures. Be sure to keep this manual in a safe place for future reference when necessary. Never mix an old battery with a new one. Set the current time and date you want. If you continue to operate the unit without battery replacement, power will switch off automatically. Press ENTER when the language you want to use is displayed. Then press ENTER and use K and L to scroll through the cities. I do not have a manual. Thanks I could get a second hand Casio SF9000 quite cheaply, but I'd like to know about it first. I've seen and played with Casio SF9350 in shops, and liked it. However, as the SF9000 was bought in '92, I expect there have been improvements in SF9350. So doesn't anyone know the differences between these two machines. Can SF9000 also display the calendar of two months at the same time. Are the scheduled appointments marked in the calendar. Can you see the appointment list of one day simultaneously or can you only see one appointment per screen. Does SF9000 have those nice graphical schedule screens: day schedule and week schedule. What are the dimensions of SF9000. Saying no will not stop you from seeing Etsy ads, but it may make them less relevant or more repetitive. Please update to the latest version. Both registration and sign in support using Google and Facebook accounts. Escape will close this window. Etsy may send you communications; you may change your preferences in your account settings. Learn more. Very nice condition!!! 90s. Please Log in to subscribe. Register to confirm your address. Page Count 40. No part of this program or manual may be reproduced, changed, translated into other languages or stored in a retrieval system in any form or by any means without prior consent from Yellow Computing. The sections 3.6 and 3.

7 of this Users Guide refer to other CASIO Digital Diaries. The functions of the CASIO Digital Diaries have been integrated to suit standard Windows conventions, so that it'll take you very little time to get used to the program. The simple selection of database areas through index bars, as well as clearly structured 3D dialogs, toolbars with self-explanatory icons and context-sensitive Help will enable you to feel at home with the program in no time at all. The synchronization capacity of the new CASIO Digital Diaries opens up completely new opportunities for the recording of data. It is irrelevant on which machine you have entered your data, as you now have a perfectly trouble-free option of merging data between a CASIO Digital Diary and a PC any time you like. The program also gives you extensive editing and processing facilities, so that you can easily transfer data to and from other Windows applications. The innovative index bar allows you to select database areas much faster and more conveniently than with the usual menus. To increase the clarity of the index bar area tabs, all Appointment areas have been summarized in a further index which is only shown when needed. Here is a simple example of how you can use PC sync in the day-to-day running of your office during the day you may be out collecting information on your CASIO Digital Diary, new customers addresses, for example. Meanwhile your secretary plans your appointments on the PC. When you get back to the office in the evening, all you need to do is to start synchronization. All the new addresses from your CASIO Digital Diary are transferred to the PC and the new appointments are added to the Schedule area in your CASIO Digital Diary. PC sync is the missing link between a central computer and a CASIO Digital Diary, so that both systems benefit from an extension of their opportunities. General Comments 5 The Users Guide gives you all the basics required for working with PC sync.

However, your main source of information will be the online help system. Any context-oriented questions that come up while you're working with PC sync can be answered at the press of a button. General Comments 6 To remove the PV Unit from cradle 1. Make sure the PV Unit is off. 2. Press the Release button and keep it down while carefully pulling the PV Unit out of the cradle. Turn off PV Unit power. 2. Insert the cable into the cable connector at the bottom of the PV Unit as shown

bellow. To disconnect the cable from the PV Unit 1. Turn off PV Unit power. 2. While pressing the release buttons on either side of the cable plug disconnect the cable. Turn off PV Unit power. 2. Place the PV Unit onto the cradle. 3. Gently but firmly press down on the PV Unit to ensure that it is inserted into the cradle as far as it will go. To detach the PV Unit from the cradle 1. Turn off PV Unit power. 2. Angle the PV Unit forward as shown in the illustration and then lift it straight up. Make sure that the power of both the BN Unit and your computer is turned off. 2. Open the cradle port cover on the left side of the BN Unit as shown in the illustration. 3. With the side marked CASIO facing up so you can see it, plug the cradle connector straight into the BN Unit port. Important! Make sure you insert the connector as far as it will go, until you hear it snap securely into place. Do not apply undue force. Doing so can damage the cradle connector or BN Unit port. Make sure that the power of both the BN Unit and your computer is turned off. 2. While squeezing the buttons on both sides of the connector, pull it straight out from the cradle port to remove it. 3. Close the BN Units port cover. Follow the screen prompts presented by the installation program. 3.2 First Steps This chapter gives you a number of examples, to illustrate the use of the program. Each example is based on the preceding one and can easily be followed on your computer.

If you require further details about each function, use the context-sensitive online help system. An introduction to this system can be found in Chapter 4. Note As the examples involve data transmission, we suggest that you connect the cable to the two units before running the program, following the instructions given in Chapter 2. 3.2.1 Running the Program Once the program has been correctly installed, you can run it with the mouse in the usual way. Working with PC sync 1 3 The name and content of the third menu depends on the current database area. A number of options from the menu bar are repeated on the toolbar, in the form of icons. These are the most frequent functions, and the purpose of the toolbar is to give you more convenient access to them. Appendix B of this Users Guide contains a complete list of all toolbar icons and their functions. The display window shows the data currently in the memory of your PC. It is divided into two sections the List Window and the View Window. The Appointment area also has a calendar display which will be explained at a later stage. In the List Window, several records i.e. entries are presented below one another, one per line, whereas the View Window displays the selected record. The ratio between the List Window and the View Window can be changed with the vertical dividing line between them. To change the size of the two windows, simply move the line to the left or right with the mouse. If you press one of the alphanumeric keys in the main window, the selection automatically goes to the first record that starts with the relevant character. To edit a record, doubleclick on it. The Editor is opened, where you can now make any changes that are required. Working with PC sync 1 4 Menu Bar Toolbar Area Tabs Title Bar Status Bar If you have large amounts of data, you can scroll up and down in the database area with the slider. Either click on the relevant scroll arrow or place the scroll box in the desired position.

The status bar contains a brief note on the current screen situation as well as two figures indicating the number of records in the current database area and the number of marked records in this area. The status bar also shows information, depending on the selected CASIO Digital Diary model. The function bar, area tabs and status bar can be shown or hidden via the Options menu. If, say, you want to display as many records as possible, you may find it useful to hide some of the bars. The Calendar The structure of the PC sync Calendar is similar to that of the CASIO Digital Diary. When you change over to the Scheduler or Schedule area, the Calendar always displays the current month. The current date is framed, the selected date has a coloured background, and marked dates are shown in bold characters. To mark or unmark a single date, hold down and select the relevant date with the mouse. Alternatively, you can toggle calendar markings with the. To mark whole lines or columns of the current month, hold down and click on the relevant calendar week or weekday. Dates that have an entry in the Schedule, are marked with a dot in the Calendar. A dot at the top means an a.m. appointment, and a dot at the bottom a p.m. appointment. To maintain clarity, no markings are

given for days with Reminder and ToDo items. The left margin of the Calendar gives you the calendar week. The three figures at the bottom edge of the Calendar tell you the number of days that have elapsed since the beginning of the year, the number of days that are still left this year, and the calendar week of the selected date with a coloured background. The Calendar goes from 1 January 1901 to 31 December 2099. The selection marking can be moved with the arrow keys or set with the mouse. The selection of a month can be set with the scroll bar on the right edge of the Calendar. To browse whole years, click between the arrows and the slider. You can also position the slider directly with the mouse.

A double click on a given date in the Calendar has the effect of creating a new entry for that date. The Editor is opened, and you can enter your data. Working with PC sync 15 The details include, for instance, the names of the available database areas, the Editor width, etc. The Transmission Setup Once you have selected the Digital Diary model, you need to specify the relevant transmission setup. You are now ready for transmission. Later, when you leave the program in the normal way, the values are automatically saved and will be available for all future occasions. Data Transmission Preparations for transmission are now concluded. Working with PC sync 16 During reception a status box is displayed, telling you how far transmission has progressed. If the file name already exists, a query is presented, asking you whether you wish to overwrite the existing file. Note If the mode you save to a file has more than 16.000 entries, you may not be able to open the file. 3.2.4 Loading Data In this section we want to comment briefly on the reading of files that have been saved to disk. The same file selector box is presented that is also used for saving data. The relevant file is now read in and displayed in the display window of the database area that was active when the file was last saved. Loading Data from Other Link Programs If you own another link program that does not allow you to load data directly, then the simplest way of reading its data is to transmit it from the other link program back to the CASIO Digital Diary and then to PC sync. Working with PC sync 17 Mail and SMS Short Message Service can only be sent or received. Display, editing and deletion not supported. You will also learn a convenient way of marking, copying and moving data. To start with, choose File New, and select the proper Digital Diary to open a new file window. Next, use the area tabs or choose View Personal Contacts to display the Personal Contacts. The Editor Window is now opened.

Like the main window, the Editor has a title bar, menu bar, toolbar, input window and status bar. The title bar shows the name of the current database area, the menu bar contains specific Editor functions, and the toolbar is tailored to suit the Editor. You will find a description of the various icons and their functions in Appendix B of this manual. You can enter any character that is also permitted by the CASIO Digital Diary. The insertion point can be moved freely around the text field. To mark a text with the cursor keys or mouse, press at the same time. The highlighted block of text can then be cut or copied to the Clipboard. Note, however, that a marked block of text cannot extend from one field to another. You can only mark strings within a given field. The status bar displays brief information on the current screen situation as well as two figures, telling you how many characters have been entered into the current record and how many are still available for further input. For the sake of our example, fill in the different fields with data. Working with PC sync 18 If the Editor menu item entitled Options Query Before Saving is selected i.e. ticked, you are given a query before the record is saved. Otherwise a new record is created without asking for confirmation. Again, fill this record with data. This time, however, conclude with Item Exit Editor. The record is then saved possibly after a query and the Editor Window is closed. The two new records are listed underneath one another in the List Window. Note The menu item Exit Editor has the effect of saving the current record to your computers memory, but not to disk. Copying Records via the Clipboard In our example, we are going to duplicate the first record via the Clipboard. This is a convenient way of saving input time whenever two records are almost identical, e.g. two different contacts at the same company.

In the List Window, select the first record by single clicking on it with the mouse, so that it is displayed in reverse video. Next, choose Edit Copy. This has the effect of placing the record onto the Clipboard. Next, choose Edit Paste to insert the content of the Clipboard into the Contacts. When you have edited this record, save it in the usual way via Exit Editor. It enables you to pick up marked records in the List Window with the mouse and move or copy them to other database areas or even other file windows. In our example we shall copy two of the previously entered records into the Memo area. To start with, select the two records in the List Window Hold down either or while at the same time clicking on the relevant records. If you wanted to move the records so that they are deleted from their previous locations, you would now simply let go of the mouse button. However, as you want to copy them, press and keep it down until you have released the mouse button. Finally go to the Memo area via the area tabs or View Memo, and you will find copies of the two Personal Contact records. The only difference is that, next to the text fields, there are also fields which are specially designed for dates and times. If you want certain fields especially Schedule or Reminder to remain empty, e.g. to distinguish between monthly and daily Reminder items, deactivate the relevant field. If, say, you deactivate the month field in the Reminders Editor, then the item will be presented every day. Furthermore, you can automatically create a new item for the selected day in the current database area by doubleclicking on a certain date. This has the effect of opening the Editor where you can complete your data.

### 3.2.7 Finding Records

In this section we want to search through the Personal Contacts and find all the Smiths in Birmingham. Go to the Personal Contacts via the area tabs or View Personal Contacts.

The found records are now Working with PC sync 2 0 They can be selected and then placed into other programs via the Clipboard, and they can be printed or marked i.e. via Edit Toggle Mark Flag. To display all the records of the current area again, choose Search Discard All Search Results.

### 3.2.8 Deleting Certain Records

In this example we want to eliminate all doubles from the Personal Contacts, i.e. all records that are totally identical. Doubles may arise, for instance, if you have an identical stock of records on your PC and on your Digital Diary and you have added different records on both units. A dialog box is presented, prompting you to select the database areas in which you want to weed out the doubles. Alternatively, you can also select all areas separately, with the mouse. If you are using a PV200e unit, tap the PC sync icon in the lower left corner of its screen. During transmission a status box is displayed, telling you how far the operation has progressed. The only difference between open and secret data is that the latter requires a password query, which is presented when you try to access to this area. Go to View Secret Area. If you are doing this for the first time, then a dialog box is presented, prompting you to enter the relevant password. The program displays an asterisk for each character that is entered. As this is your first time in this area, your input is understood by the program as the definition of a password. Do make sure that you enter your password without typing errors and that you remember it well. Once entered, the password is saved permanently when the file itself is saved to disk. A password only ever relates to the current file i.e. the current window. It does not apply

### Working with PC sync 2 1 Password input

and confirmation are not casesensitive, i.e. no distinction is made between small and capital letters. You can change the password for a file via File Password.

As we mentioned above, the only difference between a secret and open area is the password query. All other functions are identical. On both computers any transmission therefore concerns either secret or open data but not both depending on the currently active area at the time of transmission unless you have explicitly specified that the secret data, for instance, should be appended to the open data.

### 3.2.1 1 Data Import and Export

The following section uses data export in dBaseFormat to show you how it is possible to exchange data with other programs using the import and export functions. In this example we assume that there are already data in the Personal Contacts. A dialog box appears in which the desired export format can be defined. A field mapping is required as different programs have different structures concerning the format and number of individual fields

within a record. In order to export the PC sync fields to other programs in a particular order, you must specify a list of the fields to be exported and not exported. Each list is therefore a field mapping list. To differentiate between the lists, field mapping lists each one receives a name which is chosen from the dialog box. A dialog box divided into two sections is now displayed which enables you to allocate the individual fields. The lefthand side shows a list of all the fields available in the Personal Contacts and the righthand side shows a list of all the fields to be exported. To create an empty field select. A further dialog box now appears enabling you to enter another name in the field name and to define the maximum number of characters. The name in the field name should remain unchanged. Working with PC sync 2 2 Importing data from other programs is carried out in the same way but in the opposite order. There is also the option of loading an exported file automatically with a different application.

This program, which is started automatically after the file has been exported, will then read in the exported file. To use this function, you first need to set up one or more links to applications on your hard disk. If, for instance, you export the Memo area in RTF format and you are going to use Word 97 after specifying a file name, then Word 97 is automatically started on your PC, loading the export file with the Memo area. Note For a successful export link, make sure you only specify file formats that can be read by other applications. If you are not sure, consult the users guide of the other program. 3.2.12 Quitting the Program To quit the program choose File Exit. PC sync then saves its basic settings, such as the size and position of the main window, so that these are available again next time you run the program. If the program contains unsaved data, a query is presented. 3.3 Data Synchronization Data Synchronization provides you with the following capabilities. Working with PC sync 2 3 Please note that you should avoid executing both synchronizations and transfers send and receive for the same data stock. You start the synchronization process via the Synchronize With Casio command from the Casio menu. During the process a status window appears displaying the single steps of the synchronization. It is also possible to cancel the process. Note If you cancel the synchronization, it may be possible that the original state of the data cannot be restored. Therefore you should execute a new synchronization as soon as possible so that both units will be brought up to an identical data state. 3.3.1 Synchronization Setup Via this command you can set all the important synchronization settings. Decide also whether duplicate records shall be filtered and whether the file shall be saved after the synchronization. Working with PC sync 2 4 Also note that an automatic check may reduce the speed of some other applications running at the same moment.

So if you want to speed up the corresponding application, simply deactivate the check box. For the PC sync file, the same diary type will be set which has already been used for the file currently opened. If this is not possible, the Default Digital Diary will be used automatically. Working with PC sync 25 Synchronization not supported. 3.4 Quick Data Copy Quick Data Copy is a quick and simple function for moving text to the PV Unit, using Windows Clipboard. On the PV Unit you can save the text to one of the five available Memo areas. Note Quick Data Copy was developed specially for the new models PV200A, PV200e, PV 250X, PVS250, PV400A, PV400Plus, PV450X, PVS450, PV750 and PV750Plus. There are three different ways of starting Quick Data Copy. Through an icon on the taskbar. Note During the installation of PC sync you will be asked whether you want to load Quick Data Copy automatically whenever you start Windows. Quick Data Copy is installed as an icon in the taskbar see option . 3.4.1 Quick Data Copy in the main program option Choose the menu item Casio Quick Data Copy Send to send the text straight from Clipboard to the PV. PC sync attempts to respect the ends of words, lines and sentences. The title is formed from the first ten characters. If you want to make manual changes before sending the text, choose Casio Quick Data Copy Edit to call up the following dialogue In this dialogue you can edit the text and its title and define its destination Memo 1 5. Entering a title is optional. If you do not specify a title, then the program automatically enters the first ten characters of the text here. However, if you do enter a title, you can use more than 10 letters. The text is still in Clipboard. This procedure is useful if you want to

enter and send a note manually. Working with PC sync 2 7 Working with PC sync 2 8 However, you can change the setting any time you like.

If you selected automatic loading for Quick Data Copy when you installed PC sync, the icon will now be available every time you start Windows. To send text straight to the PV via Clipboard, simply doubleclick on the taskbar icon with the left mouse button. To open its menu, simply click on it with the righthand mouse button. Working with PC sync 29 Tip Copy the program Add Quick Data Copy to Taskbar or a shortcut to the StartUp folder, so that the icon will be available every time you start Windows. To find out how this is done, read the relevant section in your Windows users manual. To back up data, choose Backup Receive and press Start on the cradle If you are using a PV200e unit, tap the PC sync icon in the lower left corner of its screen. All data is now transferred to your PC. After the transfer give the backup file a file name. To retrieve the data, choose Backup Send, select the relevant backup file and press Start on the cradle If you are using a PV200e unit, tap the PC sync icon in the lower left corner of its screen. A dialog box is presented, prompting you to choose the Source and Destination Digital Diary. Next, select the setup for the Baud Rate, Parity and Word Length i.e. bit length that are relevant to your Digital Diary. The default values given here are the ones which the Digital Diary port would have after a RESET. Normally, you can leave this setup unchanged. To compare settings, we recommend that you open the transmission setup display on your Digital Diary cf. Note It is extremely important that both units should have the same transmission setup. Otherwise, transmission may be faulty. Working with PC sync 3 0 This is important to avoid loss of data. During reception a status box is displayed, telling you how far transmission has progressed. If transmission is aborted on one unit, then the other unit automatically stops, too. This behaviour may vary from one model to another.